The Cochrane Library

WILEY-BLACKWELL

碩睿資訊有限公司 http://www.sris.com.tw

大綱

- 一、資料庫背景介紹
- 二、介面介紹
- 三、利用PICO檢索_又快又準
- 四、利用Mesh Term檢索_聰明不遺漏
- 五、利用Search Manager_策略化檢索
- 六、註冊個人帳號, 善用個人化功能

為什麼需要 The Cochrane Library?

知識不夠

「你們現在在醫學院所學到的,其中有一半在十年內將會被證實是錯誤的;糟糕的是,連你的老師也不知道哪 些是錯誤的。」

~Dr. Sydney Burwell (1956 Dean, Harvard Medical School)

時間不夠

- >2百萬篇文章發表於2萬種生物醫學期刊/年
- →台北101大樓(500公尺)
- >21篇/天→掌握核心發展最新狀況

醫學界重要的出版品一致推崇Cochrane Review是目前 最具參考價值的系統評論(Gold Standard)


- The Lancet
 - New England Journal of Medicine
 - British Medical Journal
 - The Journal of the American Medical Association

專業推崇

資料庫背景

1972年 英國流行病學家Archie Cochrane

- 使用已被證明有效果的醫療措施
 - →避免醫療資源浪費
- 呼籲健康照護的成效應有實證研究支持
 - →RCT研究



Professor Archibald Leman Cochrane, CBE FRCP FFCM, (1909-1988) 英國內科醫師及流行病學專家

1993年 Cochrane Collaboration成立

14個研究中心 (亞洲分支:新加坡、泰國、香港等,台灣 2015/9)

53個醫療系統評論小組(如:呼吸性感染、麻醉等...)

15000位醫療專業人士 (科學家、健康專家、研究人員)


投入Systematic Review

研究成果收錄成CDSR(Cochrane Database of Systematic Review)

2-3年會重新進行資料收集及評讀



文獻搜尋優先順序 (STRATEGY: top down)



針對特定臨床醫療照護問題的介入方式評 斷其療效,協助醫生進行診療判斷與決策

收錄資料量

January, 2016 the *CDSR* includes 9201 records:

6471 Reviews

2460 Protocols

SCI排名

2014年 "COCHRANE DB SYST REV" 在 Medicine, General & Internal category領域 下 Impact Factor= 6.035,排名第13/154

The Cochrane Library 實證醫學資料庫,包括六個文獻庫

- Cochrane Database of Systematic Reviews (Cochrane Reviews)
 - 針對特定臨床問題(健康照護)的介入方式評斷其療效,是全文資料庫
- Database of Abstracts of Reviews of Effects (Other Reviews)
 - 收錄經過嚴格審核標準的系統評論摘要資料庫
- Cochrane Central Register of Controlled Trials (Clinical Trials)
 - 收錄隨機臨床實驗的書目資料庫
- Cochrane Methodology Register (Methods Studies)
 - 蒐集已出版的且針對產生對照實驗方法的書目資訊
- Health Technology Assessment Database (Technology Assessments)
 - 提供健康醫療技術之評估摘要,目的在於改善健康照顧的品質及成本效益
- NHS Economic Evaluation Database (Economic Evaluations)
 - 收錄不同治療方式的成本比較和治療效果比較等摘要資料



Trusted evidence. Informed decisions. Better health.

Cochrane Library 主頁面

Search title, abstract, keyword

Browse

Advanced Search

Cochrane Reviews ▼ Trials ▼ More Resources ▼ About ▼ Help ▼







Delirium prevention

Read the editorial

Highlighted Reviews

Editorials

Special Collections

Aquatic exercise for the treatment of knee and hip osteoarthritis

Else Marie Bartels, Carsten B Juhl, Robin Christensen, Kåre Birger Hagen, Bente Danneskiold-Samsøe, Hanne Dagfinrud, Hans Lund

23 March 2016

Workplace interventions for reducing sitting at work

Nipun Shrestha, Katriina T Kukkonen-Harjula, Jos H Verbeek, Sharea Ijaz, Veerle Hermans, Soumyadeep Bhaumik 17 March 2016

Interventions for improving outcomes in patients with multimorbidity in primary care and community settings

Susan M Smith, Emma Wallace, Tom O'Dowd, Martin Fortin

14 March 2016



Tell us what you think. We welcome your comments on Cochrane Reviews.

submit a comment ©

Cochrane Library 主頁面

View current issue 0

Browse by Topic

Browse the Cochrane Database of Systematic Reviews...

Blood disorders

1

Cancer

Child health

Complementary & alternative medicine

Consumer & communication strategies

Dentistry & oral health

Developmental, psychosocial & learning

problems

Diagnosis

Ear, nose & throat

Effective practice/health systems

Endocrine & metabolic

Eyes & vision

Gastroenterology

Genetic disorders

Gynaecology

13

Health & safety at work

Heart & circulation

Infectious disease

Kidney disease

Lungs & airways

Mental health

Methodology

Neonatal care

Neurology

Orthopaedics & trauma

Pain & anaesthesia

Pregnancy & childbirth

Public health

Rheumatology

Skin

Tobacco, drugs & alcohol

Urology

Wounds


...or browse by Cochrane Review Group O



No time to read Cochrane Reviews? Think again.



visit Cochrane Clinical Answers O



Curated collections of related Cochrane Reviews are at your fingertips.

Browse



Trusted evidence. Informed decisions. Better health.

Search title, abstract, keyword



Advanced Search Browse

Cochrane Reviews ▼

Trials ▼

More Resources ▼

About ▼

Help ▼



Browse by Topic

Browse the Cochrane Database of Systematic Reviews...

Blood disorders

Cancer

Child health

Complementary & alternative medicine

Consumer & communication strategies

Dentistry & oral health

Developmental, psychosocial & learning

problems

Diagnosis

Ear, nose & throat

Effective practice/health systems

Endocrine & metabolic

Eyes & vision

Gastroenterology

Genetic disorders

Gynaecology

Health & safety at work

Heart & circulation

Infectious disease

Kidney disease

Lungs & airways

Mental health

Methodology

Neonatal care

Neurology

Orthopaedics & trauma

Pain & anaesthesia

Pregnancy & childbirth

Public health

Rheumatology

Skin

Tobacco, drugs & alcohol

Urology

Wounds





No time to read Cochrane Reviews? Think again.

visit Cochrane Clinical Answers O



Curated collections of related Cochrane Reviews are at your fingertips.

read Special Collections 0

Aquatic exercise for the treatment of knee an

Else Marie Bartels, Carsten B Juhl, Robin Christe Lund

23 March 2016

Highlighted Reviews

Workplace interventions for reducing sitting

Nipun Shrestha, Katriina T Kukkonen-Harjula, J 17 March 2016

sterventions for improving outcomes in pati Susan M Smith, Emma Wallace, Tom O'Dowd, M 14 March 2016

...or browse by Cochrane Review Group 0

Browse by Topic

選取有興趣的相關主題

Browse the Cochrane Database of Systematic Reviews...

Blood disorders

Cancer

Child health

Complementary & alternative medicine

Consumer & communication strategies

Dentistry & oral health

Developmental, psychosocial & learning

problems

Diagnosis

Ear, nose & throat

Effective practice/health systems

Endocrine & metabolic

Eyes & vision

Gastroenterology

Genetic disorders

Gynaecology

Health & safety at work

Heart & circulation

Infectious disease

Kidney disease

Lungs & airways

Mental health

Methodology

Neonatal care

Neurology

Orthopaedics & trauma

Pain & anaesthesia

Pregnancy & childbirth

Public health

Rheumatology

Skin

Tobacco, drugs & alcohol

...or browse by Cochrane Review Group 0

Urology

Wounds



No time to read Cochrane Reviews? Think again.

visit Cochrane Clinical Answers 0




Curated collections of related Cochrane Reviews are at your fingertips.

read Special Collections O



Trials ▼




and the state of t

hranelibrary.com

About ▼

Help ▼

Cochrane Reviews ▼



More Resources ▼





Airways Group

Cochrane Reviews ▼

Browse by Coch

Browse the Cochrane Database

- Acute Respiratory Infection
- Airways Group
- Anaesthesia Group
- Back Group
- Bone, Joint and Muscle Trau
- Breast Cancer Group
- Childhood Cancer Group
- Colorectal Cancer Group
- Consumers and Communical
- Cystic Fibrosis and Genetic I
- Dementia and Cognitive Imp
- Depression, Anxiety and Ne
- Developmental, Psychosocial and Learning Problems Group
- Drugs and Alcohol Group
- Ear, Nose and Throat Disorders Group

#AEffective Practice and Officinity tion of Chill Choung Add Adv.

Narrow your results

Informed decisions.

Cochrane Review Group

Airways Group

Topic

- ▼ Child health (160)
- Complementary & alternative medicine (16)
- Developmental, psychosocial & learning problems (1)
- Diagnosis (1)
- ▼ Gastroenterology (2)
- Genetic disorders (1)
- ▼ Heart & circulation (1)

show more (4)

Highlighted Cochrane Reviews

Indacaterol, a once-daily beta2-agonist, versus twice-daily beta2-agonists or placebo for chronic obstructive pulmonary disease

James B Geake, Eli J Dabscheck, Richard Wood-Baker, Christopher J Cates

339 matching items

選取相關主題的子分類, 並閱讀全文

page

Sort by:

Date: Newest First

Exhaled nitric oxide levels to guide treatment for children with asthma

Helen L Petsky, Kayleigh M Kew, Jennifer A Kynaston, Cathy Turner, Anne B Chang Online Publication Date: January 2015

Protocol

Intervention

Unsupervised exercise training versus no exercise training for chronic obstructive pulmonary disease

Katy E Mitchell, Rachael A Evans, Vicki Johnson-Warrington, Karen Rees, Theresa Harvey-Dunstan, Sally J Singh

Online Publication Date: January 2015

New Protocal Intervention

- Neonatal Group
- Neuromuscular Disease Group
- Occupational Safety and Health Group
- Oral Health Group

go to the Journal Club O








the cochrane library

檢索結果顯示頁面



關於本站

最新消息

活動訊息

學習資源

推廣活動

考科藍使用統計

實證醫學問卷調查

CDSR翻譯

翻譯志工招募

「讓全世界看到你!!!」考科藍摘要中文翻譯志工招募計畫

一、計畫簡介:CDSR (Cochrane Database of Systematic Reviews) 為考科藍圖書館 (the Cochrane Library) 的子資料庫之一,收錄大量系統性文獻回顧相關的研究論文及摘要,2014年Cochrane review之科學引文索引 (Science Citation Index, SCI) 的影響係數 (Impact Factor) 為6.035。考科藍臺灣研究中心(由臺北醫學大學實證醫學研究中心升格,以下簡稱本中心) 持續進行CDSR繁體中文的翻譯工作,並發布至考科藍圖書館資料庫,供全球華語健康照護者查詢及閱讀,以促進實證醫學知識之傳遞及交流。為增加考科藍圖書館中繁體中文資料的數量及品質,及拓展臺灣能見度,本中心持續招募「考科藍摘要中文翻譯志工」,除了讓國際看見臺灣在實證醫學領域的用心與努力外,也將在翻譯文稿末尾留下譯者大名以表彰譯者之貢獻,讓全世界看到你!

二、翻譯流程:加入翻譯志工後,我們會依據志工的專業領域挑選1~2篇英文摘要製成翻譯檔案,連同「翻譯原則」一起Email給志工。志工完成中文翻譯後,在文末註明服務單位及大名,於1個月內回覆本中心,由本中心審稿後將翻譯稿件上傳至Cochrane Library網頁,再進行下一次的翻譯。

三、計畫聯絡方式:Email: cochranetaiwan@tmu.edu.tw;電話:02-27361661#7212

「考科藍摘要中文翻譯志工」報名表

 姓名
 連絡電話

 服務單位
 職稱

E-mail

專業領域如:心臟、呼吸道、腸胃、骨骼肌肉、婦產、老人、兒童、癌症、精神疾病、護理照護、口腔健康、公共衛生…等,請盡量多填幾項。):

⋒ 衛生福利部焦點新聞

疾管署防疫醫師赴中南美洲瞭解茲卡病毒疫 情防治資訊,並對僑胞進行衛教宣導 2016/04/06

■ 衛生福利部活動訊息

教育可以不e樣 2016/03/24

Cochrane in the news

 Cochrane Review of legislative smoking bans profiled in BuzzFeed 2016/02/05


相關網站

- Cochrane Taiwan
- East Asian Cochrane Aliance
- International Society of Evidence-Based Healthcare, Taiwan
- The Cochrane Collaboration
- The Cochrane Library
- Unbound Medicine

註冊帳號



- 1. 進入Advanced Search
- 2.點選頁面的Log in/Register
- 3.出現新視窗後,點選Register註冊 Cochrane library 帳號



Browse

Add to Search Manager

Site Map

Save

WILEY

Go

Terms & Conditions

ley com Wiley Joh Network

Medical Terms (MeSH)



Search

Wiley Online Library

Trusted evidence. Informed decisions. Better health.

● Title, Abstract, Keywords

Search Limits
Search Help
(Word variations have been searched)

Clear

單位權限IP範圍內註冊即可利用下述功能:

提供My Profile的功能

Wiley Online
儲存檢索條件

Search Manager

Convright © 1999-2 Alert功能

3. 進入到Wiley Online Library平台的註冊畫面。填入個 人E-mail、密碼、個人姓名、國家地區等資訊,並且勾 選Term of Use後, Submit Registration。

請將有 紅色星號* 的欄位填寫正 確後提交

Register on Wiley Online Library to: Receive email alerts for new content and saved searches Save articles, publications and searches to your profile Purchase individual articles and chapters Receive email updates and promotional offers on Wiley books and journals relevant to you Track your accepted article if you are a journal contributor • If you have previously registered on Wiley InterScience your details have been migrated and you can log in with the same username and *= Required Field Login Information E-mail Address: * Password: * Re-type E-mail Address: * Re-type Password: * A one-time confirmation e-mail will be sent Passwords must be alphanumeric (no to this address. Your e-mail will serve as special characters) between 5 and 32 your login. characters long.

Country/Location: *

Area of Interest: *

characters: hyphen(-), single quotes('), space and dot Promotional Information Please send me updates about enhancements to the Wiley Online Library and related products from By e-mail: View our Privacy Policy Please include me on your mailing list to receive brochures and other printed information about books By regular mail: and journals in my subject area

Terms of Use

Personal Profile First name: *

Last name: *

Please review our Terms and Conditions of Use prior to completing registration.

I have read and accept the Wiley Online Library Terms and Conditions of Use View Wiley Online Library Terms and Conditions of Use

First Name and Last Name should be alphanumeric with the following allowed



•

Select your country or location

Select your area of interest




4.輸入剛剛註冊的Email以及密碼, 點選頁面的Log In登入 Cochrane library 帳號

Log In E-Mail Address Password Forgotten Password Log In Remember Me Register Institutional Login

Wiley Online Library



Trusted evidence, Informed decisions, Better health.



Search		Search Mana	ger	Medical	Terms (MeSH)	Br	owse
Title, Abstract, Keywords	;	T				Go	Save
Search Limits	Search Hel	(Word variation	s have been sear	ched)		Add to Sea	rch Manager
Clear							
Wiley Online Library	Publications About us	Browse By Subject Help Contact Us	Resources Agents Adve	ertisers Media	Privacy Cookies	Terms & Conditions	Site Map

進階檢索

實證醫學五步驟

"Standard EBM" Steps in EBM process (5 As)

- 提出問題(Ask: PICO)
 - Formulate an answerable question
- 搜尋證據(Acquire)
 - Track down the best evidence
- 嚴格評讀(Appraisal: VIP)
 - Critically appraise the evidence
- 恰當運用(Apply: 3E)
 - Integrate with clinical expertise and patient values
- 衡量結果(Audit)
 - Monitoring your performance

實證醫學五步驟

- 提出問題(Ask: PICO)
 - Patient or Problem(病人或問題)
 - Intervention or Indicator(介入或指標)
 - 某種治療、檢查、危險因子等
 - Comparator or Comparison(比較)
 - 該治療和什麼相比
 - Outcome (結果)
 - 想達成或避免什麼結果



Advanced search



Trusted evidence.
Informed decisions.
Better health.



Cochrane Reviews Trials More Resources About Help Analysing multiple outcomes

Can aquatic exercise help osteoarthritis?

Aquatic exercise for the treatment of knee and hip osteoarthritis

Read the review





Search



Search Limits



Trusted evidence. Informed decisions. Better health.



Title, Abstract, Keywords Search Limits Sea	Search	Search Manage	r Med	dical Terms (MeSH)	Browse	
Cochrane Reviews All Review Protocol Other Reviews Trials Economic Evaluations Cochrane Groups Dates Publication Year (available for all databases) Year (YYYY) the article was originally published **For Cochrane Reviews, this is the year of the last update All Dates Between Publication All Years Between Publication All Years Between Publication All Dates Publication Protocol New (all products) For Cochrane Reviews only New Search Condusions Changed Major Change Commented Withdrawn To Cochrane Library Online Publication Date Date the article was added (or last updated) on the Cochrane Library **Available for Cochrane Reviews only All Dates In the last 1 month In the last 1 month Immits earch to the following: New (all products) For Cochrane Review group Choose review group		一一	en searched)			
Dates Publication Year (available for all databases) Year (YYYY) the article was originally published **For Cochrane Reviews, this is the year of the last update All Years Between YYYY and YYYY ■ In the last 1 month Image: Cochrane Publication Date Date the article was added (or last updated) on the Cochrane Library **Available for Cochrane Reviews only In the last 1 month In the last 1 month	Wiley Online Library	Cochrane Reviews All Review Protocol Other Reviews Trials Methods Studies Technology Assessments	Limit search to the followin New (all products) For Cochrane Reviews onl New Search Conclusions Changed Major Change Commented	g: Choose rev		
Word variations will not be searched (e.g. "paid" will not find pay, pays, paying,		Dates Publication Year (available for all database Year (YYYY) the article was originally publi **For Cochrane Reviews, this is the year of All Years Between YYYY and YYYY	e Publication Date dded (or last updated) on the Cochrane r Cochrane Reviews only			


Apply

Clear



評論狀態圖示說明





檢索範例

一般檢索

Case:

抗生素能否緩和喉嚨痛的症狀?


Can antibiotics help in alleviating the symptoms of sore throat?

檢索策略:


(antibiotics):ti,ab,kw and (sore throat):ti,ab,kw



檢索結果顯示頁面







Anneliese Spinks ☑, Paul P Glasziou, Chris B Del Mar

First published: 5 November 2013

Editorial Group: Cochrane Acute Respiratory Infections Group

DOI: 10.1002/14651858.CD000023.pub4 View/save citation

Am) score 195

See clinical summaries based on this review


Abstract English | French | Portuguese

Background

Sore throat is a common reason for people to present for medical care. Although it remits spontaneously, primary care doctors commonly prescribe antibiotics for it.

Objectives

To assess the benefits of antibiotics for sore throat for patients in primary care settings.



情境分析一

情境:

一位22歲身高修長之女大學生,因為突發性胸痛至急診,您發現在胸部X-ray顯示在肺部右側有明顯的氣胸,初步估計大約佔右側肺部約40%的體積,您認為此時應該要使用引流管來治療氣胸,但是病人與家屬認為是否可以先觀察後,若情況不佳時再決定是否放置引流管,他們也同時問到現在醫療技術中是否可使用較小的引流管而不需傳統胸管來做治療。請問您就醫療實證醫學予與治療評估模式(包括cure rate、successful rate、odds ratio with 95% confidence interval、或其他的prognostic factors)等依據,來比較不同治療方法上的優劣,並針對此病人做適當治療上之建議。

取自北榮實證醫學小組 林小伶護理督導長 案例





情境分析一



情境:


一位22歲身高修長之女大學生,因為突發性胸痛至急診,您發現在胸部X-ray顯示在肺部右側有明顯的氣胸,初步估計大約佔右側肺部約40%的體積,您認為此時應該要使用引流管來治療氣胸,但是病人與家屬認為是否可以先觀察後,若情況不佳時再決定是否放置引流管,他們也同時問到現在醫療技術中是否可使用較小的引流管而不需傳統胸管來做治療。請問您就醫療實證醫學予與治療評估模式(包括cure rate、successful rate、odds ratio with 95% confidence interval、或其他的prognostic factors)等依據,來比較不同治療方法上的優劣,並針對此病人做適當治療上之建議。

取自北榮實證醫學小組 林小伶護理督導長 案例

P.I.C.O.

Type of Q	Treatment				
Р	成人氣胸	spontaneous pneumothorax			
I	引流管	needle aspiration			
С	傳統胸管	tube thoracostomy			
Ο	增加治療成功率復發	successful & recurrence rate			





Abel Wakai Makai Makai

First published: 24 January 2007

Assessed as up-to-date: 12 November 2006

Editorial Group: Cochrane Anaesthesia, Critical and Emergency Care Group

DOI: 10.1002/14651858.CD004479.pub2 View/save citation

Cited by: 12 articles Refresh Citing literature







母嬰親善醫療院所均會鼓勵母乳哺餵,但是常 發現多數的哺乳婦女在哺乳初期都會經歷乳 頭破皮及疼痛的困境。乳頭疼痛會合併有傷 □、皸裂、出血、水腫、泛紅、水皰或結痂 ,也會導致母乳哺餵中斷,影響產後母乳哺 育率。治療乳頭疼痛方法有很多,因此讓醫 護人員思考,在眾多治療乳頭破皮及疼痛的 方法中,何種治療最合滴?最符合經濟效益

母嬰親善醫療院所均會鼓勵母乳哺餵,但是常 發現多數的哺乳婦女在哺乳初期都會經歷乳 頭破皮及疼痛的困境。乳頭疼痛會合併有傷 □、皸裂、出血、水腫、泛紅、水皰或結痂 ,也會導致母乳哺餵中斷,影響產後母乳哺 育率。治療乳頭疼痛方法有很多,因此讓醫 護人員思考,在眾多治療乳頭破皮及疼痛的 方法中,何種治療最合滴?最符合經濟效益 ?(97期護訊)

Participants/ Problems	哺乳婦女	
Interventions	使用乳汁	
Comparisons	使用羊毛脂	
Outcomes	乳頭破皮及疼痛	

Participants/Problems	哺乳婦女 breastfeeding, breast milk, lactation, lactate*
Interventions	使用乳汁 expressed milk, expressed mothers milk, breast milk, human milk
Comparisons	使用羊毛脂 lanolin, butter, oil, cream, ointment
Outcomes	乳頭破皮及疼痛 sore nipple, nipple crack, nipple lesion, nipple pain, nipple trauma

接受經腹部陽胃手術(open gastrointestinal surgery)之病人,因為手術關係,導致陽胃道蠕動等功能暫時性停止或減弱,一般醫療處置會讓病人禁食或合併置入鼻胃管引流腸胃液體,直到病人排氣,以避免腹脹及達到陽胃道組織修復,而臨床醫師也多以病人排氣視為腸胃功能恢復的具體徵象。因此病人常會詢問什麼時候鼻胃管可以拔除?什麼時候我才會放屁,才可以吃東西?所以如何讓病人盡早拔除管路,減輕引起不適及正常進食,對於病人的訴求,臨床護理師希望藉由實證的過程來瞭解是否有方便、有效的、不傷害、符合經濟效益的方法以促進腸胃道手術後病人儘早排氣?(99期護訊)

接受經<mark>腹部陽胃手術(open gastrointestinal surgery)</mark>之病人,因為手術關係,導致陽胃道蠕動等功能暫時性停止或減弱,一般醫療處置會讓病人禁食或合併置入鼻胃管引流腸胃液體,直到病人排氣,以避免腹脹及達到腸胃道組織修復,而臨床醫師也多以病人排氣視為腸胃功能恢復的具體徵象。因此病人常會詢問什麼時候鼻胃管可以拔除?什麼時候我才會放屁,才可以吃東西?所以如何讓病人盡早拔除管路,減輕引起不適及正常進食,對於病人的訴求,臨床護理師希望藉由實證的過程來瞭解是否有方便、有效的、不傷害、符合經濟效益的方法以促進腸胃道手術後病人儘早排氣?(99期護訊)

Participants/ Problems	腸胃道手術後病人
Interventions	嚼口香糖
Comparisons	禁食,原來照護方式
Outcomes	第一次排氣時間/腸阻塞



Participants/ Problems	陽 周道手術後病人 Gastrectomy or Gastrectomies or Procedure, Digestive System Surgical
Interventions	嚼口香糖 Chewing Gums or Gum, Chewing or Gums, Chewing or Chewing-gum, Chewing Gum
Comparisons	禁食,原來照護方式 Fasting
Outcomes	第一次排氣時間/腸阻塞 Flatus or Fart, Flatulence/ ileus or Intestinal Obstructions or Obstruction, Intestinal Obstruction

情境

四十五歲男性,事業有成,父親過去因急性心肌梗塞猝死,因此一直注重養生不抽菸。定期接受健康檢查:沒有高血壓、糖尿病或高血脂。最近哥哥突然又發生急性心肌梗塞接受緊急心導管治療救回來。這些親人狀況令他非常焦慮,在安排例行健康檢查時,問了一連串的問題:有沒有什麼檢查可以讓他及早預防類似狀況?聽說深海魚油可以預防心血管疾病,真的嗎?聽說降血脂藥也可以預防心血管疾病,但又聽說吃降血脂藥會增加糖尿病的風險及造成腎臟病,真的嗎?那平常多吃些通血管的藥有沒有幫忙????

取自北榮實證醫學中心何主任案例

情境分析

四十五歲男性,事業有成,父親過去因急性心肌梗塞猝死,因此一直注重養生不抽菸。定期接受健康檢查:沒有<u>高血壓、糖尿病或高</u>血脂。最近哥哥突然又發生急性心肌梗塞接受緊急心導管治療救回來。這些親人狀況令他非常焦慮,在安排例行健康檢查時,問了一連串的問題:有沒有什麼檢查可以讓他及早預防類似狀況?聽說深海魚油可以預防心血管疾病,真的嗎?聽說降血脂藥也可以預防心血管疾病,但又聽說吃降血脂藥會增加糖尿病的風險及造成<mark>腎臟病</mark>真的嗎?那平常多吃些**通血管的藥**有沒有幫忙????

取自北榮實證醫學中心何主任案例



情境分析、形成問題

形成問題:

- •四十五歲男性,急性心肌梗塞家族史(+),不抽菸、沒有 高血壓、糖尿病或高血脂、糖尿病或高血脂。焦慮(A型個性) [高/中/低心血管疾病風險族群?]。
- •[什麼]檢查可以及早預防類似狀況?篩檢或確診?
- •深海魚油可預防心血管疾病?fish oil或特別成分
- <u>降血脂藥</u>可預防心血管疾病,但會增加糖尿病及造成腎臟病? stain, niacin or fibrate; Therapy vs harm
- •通血管的藥有沒有幫忙? aspirin, 銀杏(Ginkgo), plavix

取自北榮實證醫學中心何主任案例



P.I.C.O.

P	45歲男性,急性心肌梗塞家族史(+),A型個性[中度心血管疾病風險族群]			
Type of Q	Diagnostic	Therapy	Interventions	
I	MDCT	深海魚油	Statin	Aspirin
С	ETT	-/ healthy life style	-/ healthy life style	-/ healthy life style
0	Survey for CAD (high sensitivity)	Decrease risk of CVD	Decrease risk of CVD	Decrease risk of CVD

→ Back to old version



To submit comments on this review and use other tools view the old version







Cochrane Database of Systematic Reviews



Omega 3 fatty acids for prevention and treat cardiovascular disease





多種全文格式可線上閱讀或下載

查看圖表及下載PDF全文

yn D Summerbell, Helen Moore, Helen V Worthington,

ey Smith, Rudolph Riemersma, Shah Ebrahim

First published: 18 October 2004 Full publication history

Assessed as up-to-date: 31 July 2004 Editorial Group: Cochrane Heart Group DOI: 10.1002/14651858.CD003177.pub2

Cited by: 36 articles Citing literature



Abstract





cardiovascular disease. When the analysis was limited to fish-based or plant-based, dietary or supplemental omega 3 fats there was still

no evidence of reduction in deaths or cardiovascular events in any group.

55

摘要

Jump to...

•

背景

歐米加3脂肪酸用於預防及治療心血管疾病

目前認為來自多油的魚類和植物的歐米加3(W3, n圆3或歐米加-3)脂類對健康有益。

目標

以隨機分配試驗及世代研究來評估飲食中或補充的

目前已有3500多篇中文摘要正式上線

搜尋策略

搜尋包含CENTRAL、MEDLINE和EMBASE在内的五個資料庫,時間到2002年2月。沒有施行語言的限制。參考文獻也進行查核並聯絡作者。

選擇標準

對歐米加3的攝取或建議進行隨機分派且除去千擾因素之隨機分配試驗,試驗期間至少6個月。需追蹤至少6個月的世代研究才涵刮在內,並進 行歐米加3攝取量的預估。

資料收集與分析

對試驗進行加入及資料擷取的評估,試驗品質則獨立地評估兩次。分別對隨機分配試驗及世代研究的資料進行統合分析。

主要結論

共涵括48個隨機分配試驗(36,913個參加者)和41個世代分析。試驗的集合結果並無法顯示額外攝取歐米加3脂類者可減少總死亡率或合併的心血管事件之風險(具有顯著的統計上異質性)。敏感性分析僅涵刮那些偏差風險低的試驗,可減少異質性但仍舊暗示歐米加3脂類沒有顯著效果。將分析的範圍侷限於魚類來的歐米加3脂類或短鏈歐米加3脂類量較高的試驗仍無法顯示這兩者對死亡率或心血管事件有顯著影響。飲食建議或額外補充、心血管疾病的基準風險或歐米加3脂類劑量的次族群分析顯示這些因素對主要終點沒有明確的影響。歐米加3脂類攝取量高者的隨機分配試驗或世代研究都沒有顯示會增加癌症的相對風險,但因為劑量的估計並不準確,所以無法排除對臨床有重要影響。

作者結論

目前並不清楚飲食中或額外補充歐米加3脂類對於已患有或罹患心血管疾病風險高者或一般人口是否可以降低總死亡率、合併的心血管事件或癌症的風險。目前沒有證據顯示吾人應建議民眾停止攝取富含歐米加3脂類來源的物質,但需要更進一步的高品質試驗來確定歐米加3脂類對心血管健康有保護性效果。目前沒有明確證據顯示不同來源(魚類或植物)、不同補充方式(飲食中或額外補充)、不同劑量或是否有安慰劑做比較對於歐米加3脂類的效果有影響。

翻譯人

本摘要由臺北榮民總醫院陳國維翻譯。

此翻譯計畫由臺灣國家衛生研究院(National Health Research Institutes, Taiwan)統籌。

總結

56


目前沒有足夠的證據可以支持民眾應該停止攝取富含歐米加3脂類來源的物質,但需要進一步高品質的試驗來確認原先認為對心血管疾病風險較





Technology Assessments (HTA)


Economic Evaluations (EED)



mechanism of action of marine unsaturated fats. This interest has spread to encompass plant oils rich in omega 3 fatty acids, including flax (linseed) and rapeseed (canola) oils (Nettleton 1991), their derivatives (e.g. margarines) and purslane leaves (Simopoulos 1992). Omega 3

fats (also called Ω3 or n-3 fats) from fish sources include eicosapentaenoic acid (EPA or 20:5), docosahexaenoic acid (DHA, 22:6) and docosapentaenoic acid (DPA, 22:5), and are the longer chain omega 3 fats.

Alpha-linolenic acid (ALA or α-linolenic, 18:3) is the shorter chain omega 3 fat from plants (also found in grass fed meats), which is partially converted to longer chain omega 3 fatty acids within our bodies. There is some debate about the effectiveness of this conversion, which may differ depending on other dietary factors (Li 1999; Pawlosky 2001) and whether assessed over short or long term. For this reason the effectiveness of ALA may differ from that of the longer chain omega 3 fats









the cochrane library



Cited in:

CrossRef

該篇Review 被引用的狀況

This article has been cited by:

- Erdim Sertoglu, Ismail Kurt, Serkan Tapan, Metin Uyanik, Muhittin A. Serdar, Huseyin Kayadibi, Saad El-Fawaeir, Comparison of plasma and erythrocyte membrane fatty acid compositions in patients with end-stage renal disease and type 2 diabetes mellitus, Chemistry and Physics of Lipids, 2014, 178, 11
 - CrossRef
- 2 Gary Deed, Integrative care of type 2 diabetes mellitus, Advances in Integrative Medicine, 2014, 1, 1, 55
 <u>CrossRef</u>
- Farzad Farbod, Ahmad Kalbasi, Sohrab Moini, Zahra Emam-Djomeh, Hadi Razavi, Ali Mortazavi, Optimization of Operational Parameters to Fortify Iranian UF-Feta Cheese with Fish Oil Using Response Surface Methodology, *Journal of Food Processing and Preservation*, 2014, 38, 4
 - Abstract Full Article (HTML) PDF(628K) References
- Winifred W. Yu, Christopher H. Schmid, Alice H. Lichtenstein, Joseph Lau, Thomas A. Trikalinos, Empirical evaluation of meta-analytic approaches for nutrient and health outcome dose-response data, Research Synthesis Methods, 2013, 4, 3
 - Abstract | Full Article (HTML) | PDF(1528K) | References
- Ian Spreadbury, Andrew J. W. Samis, Evolutionary Aspects of Obesity, Insulin Resistance, and Cardiovascular Risk, Current Cardiovascular Risk Reports, 2013, 7, 2, 136
 - CrossRef
- E. Weichselbaum, S. Coe, J. Buttriss, S. Stanner, Fish in the diet: A review, Nutrition Bulletin, 2013, 38, 2
 - 62

MeSH search

※請善用此檢索方式

檢索問題

用詞不一致

 同樣指癌症,有人使用「cancer」,有人使用「 tumor」,需把相同概念的各式同義詞及狹義詞 完整蒐集,查找文獻才不會遺漏。

需過濾不相關文獻

 輸入的關鍵字可能只與文章某處有關聯,但並非 文章重點,需花大量時間過濾「出現這個字但實 際上並不相關」的文章。

MeSH Search


醫學主題詞表 (Medical Subject Headings;簡稱MeSH)

- 美國國家醫學圖書館 (National Library of Medicine) 出版
- 分析生物醫學方面之期刊文獻等資源的主題內容之 控制語彙表
 - NLM出版之MEDLINE/PubMed資料庫主題檢索的索引 典。





Trusted evidence. Informed decisions. Better health.



Heart Arrest [+2]

Cardiomegaly [+3]

Heart Failure [+5]

Heart Defects, Congenital [+26]

Dyspnea, Paroxysmal

顯示在各個子資料庫中所查詢到的 筆數,以Cochrane Review來說, 查詢到了26筆"心臟衰竭"的相 關資料

Heart Failure, Diastolic Synonyms: Diastolic He

Synonyms: Diastolic Heart Failures; Heart Failures, Diastolic; Diastolic Heart Failure.

المراقب المراقب المحمد والكرام المراجع والمراجع والمراجع والمراجع والمراجع والمراجع والمراجع والمراجع والمراجع

Heart Failures; Systolic Heart Failure.


Synonyms: Heart Failures, Systolic: Systolic

66



Drug therapy - DT x Heart Failure Lookup Clear Search Help Search results Definition Heart Failure - A heterogeneous condition in which the heart is unable to pump out sufficient blood to meet the metabolic need of the body. Heart failure can be caused by structural defects, functional abnormalities (VENTRICULAR DYSFUNCTION), or a There are 3022 results for your search on sudden overload beyond its capacity. Chronic heart failure is more common than acute heart failure which results from sudden MeSH descriptor: [Heart Failure] explode all trees insult to cardiac function, such as MYOCARDIAL INFARCTION with qualifier(s) Drug therapy Thesaurus matches MeSH trees MeSH term - Heart Failure Add to Search Manager 4 ve search **Exact Term Match** 右下方就會顯示在各個子資料庫中 Heart Failure Cochrane Reviews 14 Other Reviews 102 所查詢到的筆數,以Cochrane Phrase Matches Trials 2836 Review來說,查詢到了14筆關於 Heart Failure 0 Methods Studies Synonyms: Cardiac Failure; Heart Decomp 治療 "心臟衰竭" 的藥物資料 Decompensation, Heart; Heart Failure, Rig Technology Assessments Heart Failure, Right Sided; Right-Sided He Failure; Right Sided Heart Failure; Myocardian 64 mic Evaluations Heart Diseases [+25] Failure: Congestive Heart Failure: Heart Failure. Arrhythmias, Cardiac [+14] 5 Groups Congestive; Heart Failure, Left-Sided; Heart Failure, Carcinoid Heart Disease Left Sided: Left-Sided Heart Failure: Left Sided Heart Cardiac Output, Low View Results 點選View Results Cardiac Tamponade Heart Failure, Systolic


Endocarditis [+2]





Cochri 如果您想查詢的是"心臟衰竭的併發症"相關資料, Librar 就在右邊的格子中選擇Complication

🕹 Log in / Register



使用MeSH的好處

- 可以協助找出精確符合主題的資料
- 無須煩惱因縮寫、別名而遺漏相關文獻
- 使用同義詞也可準確查詢出相關文獻資料
- 使用MeSH Tree
 - 可以依需求擴展或縮小查詢範圍
 - 了解各醫學標題的橫向與縱向關聯
 - MeSH Tree可顯示標題間分類的層級關係。最上層顯示者,表示該標題詞所代表的主題意涵較廣(generic),而愈下層顯示者,則表示所代表的主題意涵愈為特異(specific)。

Browse

Institutional Login

Logged In: Max Lin

VILEY

(I) Log Out

Search Manager Medical Terms (MeSH) **Browse** Search

Browse Cochrane Reviews

Browse by Topic

Browse by Review Group

Highlighted Reviews

View Current Issue

liley Online Library

Publicatio About us

Copyright © 1999-2015 John Wiley & Sons, Inc.

Browse More resources

Other Reviews (DARE) Search Trials (CENTRAL)

Methods Studies (CMR)

Help

How to use Cochrane Library

file

Contact Us

Website Updates



Informed decisions. Better health.

Search title, abstract, keyword

Advanced Search | Search Manager | MeSH

Cochrane Reviews ▼

Trials ▼

More Resources ▼

About ▼

Help ▼

Browse by Cochrane Review Group

Browse the Cochrane Database of Systematic Reviews by Cochrane Review Group...

roup

- Acute Respiratory Infections Group
- Airways Group
- Anaesthesia Group

Problems Group

Drugs and Alcohol Group

■ Back Group

可依主題或是53個

群組瀏覽閱讀全文

- Inflammatory Bowel Disease and Functional Bowel Disorders Group
- Injuries Group
- Lung Cancer Group
- Menstrual Disorders and Subfertility Group
- Metabolic and Endocrine Disorders Group
- Methodology Review Group
- Movement Disorders Group
- Multiple Sclerosis and Rare Diseases of the Central Nervous System Group
- Musculoskeletal Group
- Neonatal Group
- Neuromuscular Disease Group
- Occupational Safety and Health Group



Relevant and interesting papers to discuss at your next Journal Club meeting.

go to the Journal Club O

MEffective Practice and Organization of Pass Grown and Manual A

Cystic Fibrosis and Genetic Disorders Group

■ Developmental, Psychosocial and Learning

Depression, Anxiety and Neurosis Group

■ Ear, Nose and Throat Disorders Group

■ Dementia and Cognitive Improvement Group

Oral Health Group

Search Manager

Wiley Online Library



Trusted evidence. Informed decisions. Better health.

Logged In: Max Lin

My Profile Institutional Login U Log Out



Logged In: Max Lin


My Profile

(I) Log Out





Cochrane

Library












登入後可以使用的 個人化功能










www th 3.Saved Searches 儲存檢索策略









the cochrane library

www.the

也可以從此處查看到儲存的檢索策略





LOGGED IN

Ellie Tsou



PUBLICATIONS | BROWSE BY SUBJECT | RESOURCES | ABOUT US

MY PROFILE HOME

My Profile Home

ACCOUNT

Account Information
Edit Login Information
Orders & Subscriptions
National Provision

ACCESS

Subscription Access Society Membership Trial Access Roaming Access

SAVED

Saved Articles/Chapters

Saved Publications

Saved Searches

Alert Manager

My Profile

Ellie Tsou

ellie@sris.com.tw

This is your personal profile area for Wiley Online Library. Use the menu on the left to access your saved content, manage your e-mail alerts, orders and subscriptions, and update your account details.

Saved Items and Alerts

Saved Articles (17)

Saved Publications (2)

Saved Searches (0)

Cochrane Saved Searches (13)

Cochrane Saved Medical Term (MeSH) Searches (1)

Cochrane Saved Strategies (4)

Alert Manager (0)

Author Services

Your Benefits Your Rights Enhancing Your Publishing Experience

ABOUT US | HELP | CONTACT US | AGENTS | ADVERTISERS | MEDIA | PRIVACY | TERMS & CONDITIONS | SITE MAP

Copyright © 1999-2012 John Wiley & Sons, Inc. All Rights Reserved.

其它子庫的頁面顯示



Other Reviews

C Cochrane Reviews (11)	There are 8 results from 18306 records for your search on 'children in title abstract keywords and antibiotic in title abstract keywords and "acute otitis media" in title abstract keywords in Other Reviews'
© Review	Sort by Relevance
C Protocol	Select all Export all Export selected
Other Reviews (8) C Trials (186) C Methods Studies (11) C Technology Assessments (0)	Are antibiotics indicated as initial treatment for children with acute otitis media: a meta- analysis (Brief record) Centre for Reviews and Dissemination Original Author(s): DelMar C, Glasziou P and Hayem M BMJ, 1997, 314:1526
C Economic Evaluations (4) C Cochrane Groups (0)	 Evidence assessment of management of acute otitis media - I. The role of antibiotics in treatment of uncomplicated acute otitis media (Structured abstract) Centre for Reviews and Dissemination Original Author(s): Takata G S , Chan L S , Shekelle P , Morton S C , Mason W and Marcy S M Pediatrics, 2001, 108(2), 239-247
Me Methodology	
Dg Diagnostic Ov Overview Cc Conclusions changed Ns New search	☐ Efficacy of short course (<4 days) of antibiotics for treatment of acute otitis media in children: a systematic review of randomized controlled trials (Structured abstract) Centre for Reviews and Dissemination Original Author(s): Gulani A, Sachdev HP and Qazi SA Indian Pediatrics, 2010, 47(1), 74-87
Mc Major change Up Update	Antibiotic therapy to prevent the development of asymptomatic middle ear effusion in children with acute otitis media: a meta-analysis of individual patient data (Structured abstract)
Wd Withdrawn	Centre for Reviews and Dissemination
Cm Comment	Original Author(s): Koopman L , Hoes AW , Glasziou PP , Appelman CL , Burke P , McCormick DP , Damoiseaux RA , LeSaux N and Rovers MM Archives of Otolaryngology Head and Neck Surgery, 2008, 134(2), 128-132
	Antibiotics for acute otitis media: a meta- analysis with individual patient data (Structured abstract) Centre for Reviews and Dissemination

Original Author(s): Rovers M M, Glasziou P, Appelman C L, Burke P, McCormick D P, Damoiseaux R A, Gaboury I, Little P



Wiley Online Library

Max Lin MY PROFILE > LOG OUT >



Trusted evidence. Informed decisions.

Better health.

Other Reviews(摘要資料)



COCHRANE REVIEWS

By Topic New Reviews Updated Reviews A-Z By Review Group

OTHER RESOURCES

Other Reviews Trials Methods Studies Technology Assessments Economic Evaluations

Evidence assessment of management of acute otitis media - I. The role of antibiotics in treatment of uncomplicated acute otitis media (Structured abstract)

- · Authors' objectives
- Searching
- Study selection: study designs
- Study selection: specific interventions
- Study selection: participants
- Study selection: outcomes
- Study selection: how were decisions on the relevance of primary studies made?
- Validity assessment

Evidence assessment of management of acute otitis media - I. The role of antibiotics in treatment of uncomplicated acute otitis media (Structured abstract)

Centre for Reviews and Dissemination

Database of Abstracts of Reviews of Effects 2012 Issue 3
Copyright © 2012 University of York. Published by John Wiley & Sons, Ltd.

Original article: Takata G S, Chan L S, Shekelle P, Morton S C, Mason W, Marcy S M. Evidence assessment of management of acute otitis media - I. The role of antibiotics in treatment of uncomplicated acute otitis media. Pediatrics. 2001; 108(2):239-247. Links

Authors' objectives

To synthesise the literature on the natural history of acute otitis media (AOM), the effectiveness of antibiotic treatment in uncomplicated AOM, and the relative effectiveness of specific antibiotic regimens.

Searching

The following sources were searched: MEDLINE from 1966 to March 1999; the Cochrane Library (to March 1999); HealthSTAR from 1975 to March 1999; International Pharmaceutical Abstracts from 1970 to March 1999; CINAHL from 1982 to March 1999; BIOSIS Previews from 1970 to March 1999; and EMBASE from 1980 to March 1999. Grey literature was identified by reviewing

< Previous





完成







the cochrane library

www.thecochranefit gir Scom

0	Coch	rane	Reviews	(11
P	COUL	ıane	Reviews	1 1 1

- All
- C Review
- Protocol
- Other Reviews (8)
- Trials (186)
- C Methods Studies (11)
- C Technology Assessments (0)
- C Economic Evaluations (4)
- C Cochrane Groups (0)
- All
- Current Issue
- Me Methodology
- Dq Diagnostic
- Ov Overview
- Cc Conclusions changed
- Ns New search
- Mc Major change
- Up Update
- Wd Withdrawn
- Cm Comment

There are 186 results from 675927 records for your search on 'children in title abstract keywords and antibiotic in title abstract keywords and "acute otitis media" in title abstract keywords in Trials'

Pages 1 - 25 26 - 50 51 - 75 76 - 100 101 - 125 Next

Sort by Relevance

Select all Export all Export selected

 [Double- blind comparative study of tebipenem pivoxil and high- dose cefditoren pivoxil in children with acute otitis media (phase III)]

Suzuki K, Baba S, Totsuka K, Hori S, Ubukuta K, Nakashima M and Sunakawa K Japanese Journal of Chemotherapy, 2009, 57(Suppl 1), 167

[Usefulness of fenspiride in the treatment of acute otitis media in children].

Zielnik-Jurkiewicz B and Jurkiewicz D

Polski merkuriusz lekarski: organ Polskiego Towarzystwa Lekarskiego, 2005, 18(108), 624

Outcome- oriented managed care comparing efficacies of cefaclor and amoxicillin in acute and recurrent acute otitis media
 Perry BP, Zieno SA, Yonkers AJ and Moore GF

Ear Nose Throat J, 1995, 74(12), 840

Change in nasopharyngeal carriage of Streptococcus pneumoniae resulting from antibiotic therapy for acute otitis media in children.

Cohen R, Bingen E, Varon E, de LaRocque F, Brahimi N, Levy C, Boucherat M, Langue J and Geslin P. The Pediatric infectious disease journal, 1997, 16(6), 555

Parent satisfaction OK with no treatment of otitis.

Anonymous

Journal of Family Practice, 2005, 54(9), 754

Recurrence up to 3.5 years after antibiotic treatment of acute otitis media in very young Dutch children: survey of trial participants.

Bezáková N, Damoiseaux RA, Hoes AW, Schilder AG and Rovers MM BMJ (Clinical research ed.), 2009, 338, b2525



Wiley Online Library

Max Lin MY PROFILE > LOG OUT >



Trusted evidence. Informed decisions. Better health.

Trials (書目資料)

SEARCH		
Title, Abstract, Keywords 🔻		
	0	
Search >	Medical Terms (MeSH) >	
Search Ma	nager >	

COCHRANE REVIEWS

By Topic New Reviews Updated Reviews A-Z By Review Group

OTHER RESOURCES

Other Reviews Trials Methods Studies Technology Assessments Economic Evaluations

The Cochrane Central Register of Controlled Trials (CENTRAL) 2011 Issue 4

Copyright © 2011 The Cochrane Collaboration. Published by John Wiley & Sons, Ltd.

Title	Outcome-oriented managed care comparing efficacies of cefaclor and amoxicillin in acute and recurrent acute otitis media Links Export Central Citation
Author(s)	Perry B P, Zieno S A, Yonkers A J, Moore G F
Source	Ear Nose Throat J
Date of Publication	1995
Volume	74
Issue	12
Pages	840-4
Abstract	A study utilizing outcome-oriented cure is employed to show the effectiveness of a given medical treatment. A specific patient population is studied in order to determine the most effective treatment for a common clinical disorder. A total of 201 children were retrospectively studied to evaluate the efficacy and side effects of amoxicillin and cefaclor in the treatment of acute otitis media and recurrent acute otitis media. There were 456 episodes of acute otitis media; 245 episodes were treated with amoxicillin with an efficacy of 91%, while 211 episodes were treated with cefaclor with an efficacy of 97%. The dosage of 40 mg/kg/day, divided in three equal doses, was employed for both antibiotics in the treatment of acute otitis media, while half of this amount was given once daily for the chemoprophylaxis of recurrent acute otitis media. In the 87 courses of chemoprophylaxis with cefaclor for recurrent otitis media, the efficacy was found to be 53%; while amoxicillin was found to be effective in 30% of the 33 patients studied. There were fewer side effects noted in the cefaclor group than in the amoxicillin group (4% vs. 12%). Both drugs caused diarrhea, while cefaclor also caused a mild maculopapular rash in two patients (1.67%). While amoxicillin remains the drug of choice for acute otitis media (AOM), this study suggests that cefaclor may be a better selection in the chemoprophylaxis of recurrent acute otitis media.
Review Group keywords	Acute Disease; Adolescence; Amoxicillin; Administration & Dosage; Adverse Effects; *Therapeutic Use; Antibiotics; Administration & Dosage; Adverse Effects; *Therapeutic Use; Cefaclor; Administration & Dosage; Adverse Effects; *Therapeutic Use; Child; Child, Preschool; Comparative Study; Ear, Middle; Physiopathology; Surgery; Human; Infant; Infant, Newborn; Middle Ear Ventilation; Otitis Media; *Drug Therapy; Physiopathology; Surgery; Recurrence; Retrospective Studies



碩睿資訊有限公司

客服電話:(02)7731-5800

客戶服務信箱:services@customer-support.com.tw